

Slovenska različica

## eSLOG 2.0 - Elektronska potrditev naročila



### Pravice in stiki

eSLOG je blagovna znamka Gospodarske zbornice Slovenije. Dokumentacijo eSLOG 2.0 Elektronsko naročilo je pripravila delovna skupina projekta ROSE 2 »Readiness of Slovenian e-Invoicing 2«, št. 2019-SI-IA-0006, ki je sofinanciran prek Instrumenta za povezovanje Evrope (CEF). Za to publikacijo je odgovoren izključno avtor. Evropska unija ne odgovarja za kakršno koli morebitno uporabo v njej navedenih informacij.

Dokumentacija eSLOG 2.0 Elektronsko naročilo je objavljena na spletnem mestu Centra za ePoslovanje Slovenije <https://www.epos.si/>.

Uporabnikom je dovoljena uporaba vsega objavljenega gradiva za namene elektronskega poslovanja. Uporaba je brezplačna. Spreminjanje vsebine shem ni dovoljeno.

Gospodarska zbornica Slovenije in partnerji, ki so sodelovali v delovni skupini projekta ROSE 2 za pripravo standarda eSLOG 2.0, ne prevzemajo neposredne ali posredne odgovornosti za morebitno škodo, ki bi nastala pri uporabi standarda eSLOG 2.0.

#### Naslovi za stik:

Gospodarska zbornica Slovenije  
Dimičeva 13  
1504 Ljubljana  
Telefonska št.: (01) 58 98 000  
E-naslov: [eslog@epos.si](mailto:eslog@epos.si)  
Splet: <https://www.epos.si>

ZZI, d. o. o.  
Pot k sejmišču 33  
1231 Ljubljana Črnuče  
Telefonska št.: (01) 53 03 300  
E-naslov: [info@zzi.si](mailto:info@zzi.si)  
Splet: <https://www.zzi.si>

Uprava Republike Slovenije za javna plačila  
Dunajska cesta 48  
1000 Ljubljana  
Telefonska št.: (01) 47 51 651  
E-naslov: [ujp@ujp.gov.si](mailto:ujp@ujp.gov.si)  
Splet: <http://www.ujp.gov.si>

## Kazalo

1	Področje uporabe .....	4
2	Zveze s standardi .....	4
3	Izrazi in definicije .....	4
4	Proces potrditve naročila .....	4
4.1	Vključene poslovne stranke ter njihove vloge in odnosi.....	4
4.2	Poslovni proces Potrditve naročila.....	4
5	Tipi potrditev naročil.....	5
6	Semantični podatkovni model ePotrditve naročila .....	6
6.1	Semantični model .....	6
6.2	Poslovna pravila.....	8
7	Sestava sporočila za ePotrditev naročila .....	10
8	Razvejitveni diagram za ePotrditev naročila .....	11
9	Podatki o segmentih elektronske potrditve naročila.....	12
10	Šifranti v ePotrditvi naročila .....	49
	Dodatek A (informativni) Poslovni termini (BT) .....	68
A.1	Seznam in opis poslovnih terminov (BT) in skupin poslovnih terminov (BG) .....	68
	Dodatek B (informativni) Shema eSLOG 2.0 elektronsko potrditev naročila .....	72
B.1	Shema .XML.....	72
	Dodatek C (informativni) Demonstracijski primer uporabe.....	73
C.1	Primer uporabe elementov segmenta .....	73
	Literatura.....	74

### 1 Področje uporabe

Namen dokumenta je opredeliti semantični model in sintaktično obliko sporočila za elektronsko potrditev naročila ter omogočiti učinkovito izvajanje in večjo uporabo elektronskega poslovanja pri postopku naročanja, ki temelji na tej obliki.

### 2 Zveze s standardi

Za uporabo tega standarda so, delno ali v celoti, nujno potrebni spodaj navedeni dokumenti. Pri datiranih sklicevanjih se uporablja le navedena izdaja. Pri nedatiranih sklicevanjih se uporablja zadnja izdaja publikacije (vključno z dopolnili).

- eSLOG 2.0 - Splošna navodila za elektronsko naročilo, elektronsko potrditev naročila in elektronsko dobavnico (v nadaljevanju eSLOG 2.0 Splošna navodila)


### 3 Izrazi in definicije

V tem dokumentu so uporabljeni izrazi in definicije, ki so podani v dokumentu eSLOG 2.0 Splošna navodila.

### 4 Proces potrditve naročila

#### 4.1 Vključene poslovne stranke ter njihove vloge in odnosi

V osnovnem postopku nabave od naročila do dobave sodelujeta dva poslovna partnerja, Naročnik in Dobavitelj. Vsak partner lahko v postopku izpolni dve ali tri vloge.



V procesu Potrditve naročila so vključene predvsem funkcije/vloge na strani dobavitelja, pri čemer ima komercialno vlogo Prodajalec, ki pri Dobavitelju preveri zmožnost izvedbe prejetega naročila skladno z definiranimi pogoji.

V okviru operativnih vlog na strani dobavitelja v odvisnosti od vrste naročila poteka preverjanje zmožnosti izvedbe naročila:

- Ob izvedbi naročila iz zaloge ima glavno vlogo dostava, ki pripravi in sproži dostavo naročenega blaga ali storitve.
- Ob potrebi po izdelavi naročenih materialov je pri potrditvi naročila pomembna vloga planiranja proizvodnje, ki v okviru proizvodnih zmožnosti preveri možnosti izdelave naročila.

#### 4.2 Poslovni proces Potrditve naročila

Osnovni cilj procesa potrditve naročila je, da naročnik čim prej dobi povratno informacijo o možnostih realizacije naročila. Po prejetem naročilu Prodajalec posreduje naročilo Dobavitelju in ta preveri možnosti izvedbe naročila na osnovi zalog oziroma v službi planiranja proizvodnje možnosti izvedbe/proizvodnje zahtevanih proizvodov.

Dobavitelj mora naročniku v pogodbeno dogovorjenem roku poslati dokument o potrditvi naročila, ki vsebuje podatke treh mogočih scenarijev:

- Sprejeto naročilo: Naročilo je sprejeto, izdelki bodo dostavljeni skladno s parametri naročila.
- Zavrjeno naročilo: Naročilo dobavitelj zavrne.
- Spremembe naročila: Dobavitelj predlaga spremembe naročila v pogodbeno dogovorjenih mejah. Spremembe se lahko nanašajo na celotno naročilo ali pa na posamezne postavke iz naročila in lahko opredeljujejo na primer:
  - Spremembe količin
  - Spremembe datuma dobave
  - Spremembe materialov/blaga s ponudbo substitutov
  - Spremembe cen ponujenega blaga

## 5 Tipi potrditev naročil

V standardu eSLOG 2.0 za elektronsko potrditev naročila je predviden le en tip dokumenta. Skladno s šifrantom je označen s šifro 231.

Vendar pa je zelo pomemben podatek tudi vloga dokumenta. Mogoč nabor vrednosti je opisan spodaj.

Šifra	Vloga	Opis
4	Sprememba (angl. change)	Naročilo ni potrjeno s prvotnimi podatki. Spremembe so se lahko zgodile na nivoju dokumenta (na primer spremenjen datum dobave) ali na nivoju postavk (na primer spremenjena količina). Spremembe se lahko nanašajo na eno ali več postavk. Kako naročnik postopa ob spremembah, je odvisno od medsebojnega dogovora med partnerji.
27	Zavrjeno (angl. not accepted)	Dobavitelj ni sprejel naročila. Čeprav se ta status nanaša na celotno naročilo, je dobra praksa, da se v dokumentu kljub temu navede vse postavke, ki jih je vsebovalo prvotno naročilo, nato pa se potrjena količina (BT-48) na vsaki postavki nastavi na 0 (nič).
29	Sprejeto brez sprememb (angl. accepted without amendment)	Dobavitelj je v celoti sprejel naročilo, kot mu ga je poslal naročnik. Tudi v tem primeru se navede vse postavke, kot so bile navedene v prvotnem naročilu, z ustreznimi sklici na številke vrsti. Potrjene količine (BT-48) se nastavi na enako vrednost, kot je bila navedena v prvotnem poslanem naročilu.
45	Delno sprejeto (angl. accepted with reserves).	Dobavitelj je sprejel le nekatere postavke na naročilu, preostale pa je zavrnil. V tem primeru v dokumentu navedemo vse postavke prvotnega naročila in z uporabo potrjenih količin (BT-48) označimo, katere postavke niso bile sprejete (potrjeno količino (BT-48) nastavimo na 0 (nič)). Na postavkah, ki jih sprejemamo, nastavimo vrednost, ki je enaka vrednosti v prvotnem naročilu.

## 6 Semantični podatkovni model ePotrditve naročila

Semantični model ePotrditve naročila vključuje poslovne termine in poslovna pravila.

### 6.1 Semantični model

ID	Nivo	Kard.	Poslovni termin
BT-1	+	1..1	Unikatna številka sporočila, ki jo določi pošiljatelj
BT-2	+	1..1	Oznaka vrste potrditve naročila
BT-3	+	1..1	Številka potrditve naročila, ki jo določi pošiljatelj
BT-4	+	1..1	Vloga dokumenta potrditve naročila
BT-5	+	1..1	Datum in čas izdelave sporočila (137)
BT-6	+	0..1	Predviden datum dobave (17)
BT-7	+	0..1	Preostali datumi, vezani na potrditev naročila
BT-8	+	1..1	Valuta zneskov na potrditvi naročila
BT-9	+	1..1	Referenca na naročilo, na katero se potrditev naročila navezuje (ON)
BT-10	+	0..1	Datum naročila, na katero se potrditev naročila navezuje (ON)
BG-1	+	0..n	Referenčni dokumenti
BT-11	++	1..1	Tip referenčnega dokumenta, na katerega se potrditev naročila navezuje
BT-12	++	1..1	Številka referenčnega dokumenta, na katerega se potrditev naročila navezuje
BT-13	++	0..1	Datum referenčnega dokumenta, na katerega se potrditev naročila navezuje
BG-2	+	1..1	Podatki o kupcu
BT-14	++	0..1	GLN kupca (BY)
BT-15	++	1..1	Davčna številka kupca (VA)
BT-16	++	0..n	Preostali referenčni podatki kupca
BG-3	++	0..1	Naziv in naslov kupca
BT-17	+++	1..1	Naziv kupca
BT-18	+++	1..1	Ulica in hišna številka kupca
BT-19	+++	1..1	Mesto kupca
BT-20	+++	1..1	Poštna številka kupca
BT-21	+++	1..1	Država kupca
BG-4	++	0..n	Kontaktne podatki kupca
BT-22	+++	0..1	Kontaktne osebe kupca
BT-23	+++	0..1	Naslovi za kontakt kupca
BG-5	+	1..1	Podatki o dobavitelju
BT-24	++	0..1	GLN dobavitelja (SU)
BT-25	++	1..1	Davčna številka dobavitelja (VA)
BT-26	++	0..1	Referenčni podatki dobavitelja
BG-6	++	0..1	Naziv in naslov dobavitelja
BT-27	+++	1..1	Naziv dobavitelja
BT-28	+++	1..1	Ulica in hišna številka dobavitelja
BT-29	+++	1..1	Mesto dobavitelja
BT-30	+++	1..1	Poštna številka dobavitelja

ID	Nivo	Kard.	Poslovni termin
BT-31	+++	1..1	Država dobavitelja
BG-7	++	0..n	Kontaktni podatki dobavitelja
BT-32	+++	0..1	Kontaktne osebe dobavitelja
BT-33	+++	0..1	Naslovi za kontakt dobavitelja
BG-8	+	0..1	Podatki o dostavnem mestu
BT-34	++	0..1	GLN dostavnega mesta (DP)
BT-35	++	0..1	Referenčni podatki dostavnega mesta
BG-9	++	0..1	Naziv in naslov dostavnega mesta
BT-36	+++	0..1	Naziv dostavnega mesta
BT-37	+++	0..1	Ulica in hišna številka dostavnega mesta
BT-38	+++	0..1	Mesto dostavnega mesta
BT-39	+++	0..1	Poštna številka dostavnega mesta
BT-40	+++	0..1	Država dostavnega mesta
BG-10	++	0..n	Kontaktni podatki dostavnega mesta
BT-41	+++	0..1	Kontaktne osebe dostavnega mesta
BT-42	+++	0..1	Naslovi za kontakt dostavnega mesta
BG-11	+	1..n	Podatki o postavkah
BT-43	++	1..1	Številka postavke
BT-44	++	1..1	Oznaka stanja postavke glede na podatke naročila
BT-45	++	0..1	GTIN-številka artikla
BT-46	++	1..1	Količina naročenega artikla (21)
BT-47	++	1..1	Enota mere naročenega artikla (21)
BT-48	++	1..1	Potrjena količina artikla (113)
BT-49	++	1..1	Enota mere potrjene količine artikla (113)
BT-50	++	0..1	Število enot za končnega potrošnika v naročenem artiklu (59)
BT-51	++	0..1	Enota mere za število enot za končnega potrošnika v naročenem artiklu (59)
BT-52	++	0..1	Predviden datum dobave artikla (17)
BT-53	++	0..1	Vrednost postavke (203)
BT-54	++	1..1	Številka postavke originalnega naročila, na katerega se postavka iz potrditve naročila nanaša (ON)
BG-12	++	0..n	Identifikacija naročenega artikla
BT-55	+++	1..1	Tip identifikacije artikla
BT-56	+++	1..1	Številka identifikacije artikla
BT-57	+++	1..1	Vrsta identifikacije artikla
BT-58	+++	0..1	Opis artikla
BG-13	++	0..n	Podatki o ceni artikla
BT-59	+++	0..1	Vrsta cene artikla
BT-60	+++	0..1	Cena artikla
BT-61	+++	0..1	Specifikacija cene artikla
BT-62	+++	0..1	Količina na enoto cene
BT-63	+++	0..1	Merska enota cene

## 6.2 Poslovna pravila

ID	Opis	BT / BG
BR-01	Unikatna številka sporočila, ki jo določi pošiljatelj (BT-1), je obvezen podatek.	BT-1
BR-02	Oznaka vrste potrditve naročila (BT-2) je obvezen podatek.	BT-2
BR-03	Številka potrditve naročila, ki jo določi pošiljatelj (BT-3), je obvezen podatek.	BT-3
BR-04	Vloga dokumenta potrditve naročila (BT-4) je obvezen podatek.	BT-4
BR-05	Datum in čas izdelave sporočila (BT-5) sta obvezna podatka.	BT-5
BR-06	Davčna številka kupca (BT-15) je obvezen podatek.	BT-15
BR-07	Davčna številka dobavitelja (BT-25) je obvezen podatek.	BT-25
BR-08	Če se na potrditvi naročila nahajajo zneski (BT-59) ali cene (BT-61), je valuta zneskov na potrditvi naročila (BT-8) obvezen podatek.	BT-8, BT-59, BT-61
BR-09	Referenca na naročilo, na katero se potrditev naročila navezuje (BT-9), je obvezen podatek.	BT-9
BR-10	Če potrditev naročila vsebuje cene (BT-61) ali zneske (BT-59), morajo biti vsi navedeni v isti valuti (BT-8).	BT-8, BT-59, BT-61
BR-11	Če ni vpisanega GLN kupca (BT-14), so naslednji podatki obvezni: <ul style="list-style-type: none"> <li>– Naziv kupca (BT-17)</li> <li>– Ulica in hišna številka kupca (BT-18)</li> <li>– Mesto kupca (BT-19)</li> <li>– Poštna številka kupca (BT-20)</li> <li>– Država kupca (BT-21)</li> </ul>	BT-14, BT-17, BT-18, BT-19, BT-20, BT-21
BR-12	Če ni vpisanega GLN dobavitelja (BT-24), so naslednji podatki obvezni: <ul style="list-style-type: none"> <li>– Naziv dobavitelja (BT-27)</li> <li>– Ulica in hišna številka dobavitelja (BT-28)</li> <li>– Mesto dobavitelja (BT-29)</li> </ul>	BT-24, BT-27, BT-28, BT-29,


ID	Opis	BT / BG
	<ul style="list-style-type: none"> <li>– Poštna številka dobavitelja (BT-30)</li> <li>– Država dobavitelja (BT-31)</li> </ul>	BT-30,  BT-31
BR-13	<p>Če so vpisani podatki za dostavno mesto in to ni identificirano z GLN-jem dostavnega mesta (BT-34), so naslednji podatki obvezni:</p> <ul style="list-style-type: none"> <li>– Naziv dostavnega mesta (BT-36)</li> <li>– Ulica in hišna številka dostavnega mesta (BT-37)</li> <li>– Mesto dostavnega mesta (BT-38)</li> <li>– Poštna številka dostavnega mesta (BT-39)</li> <li>– Država dostavnega mesta (BT-40)</li> </ul>	BT-34,  BT-36,  BT-37,  BT-38,  BT-39,  BT-40
BR-14	Davčne številke na naročilu morajo imeti predpono države skladno z ISO-kodo po šifrantu ISO 3166-1 alpha-2. Izjemoma lahko Grčija uporablja kodo EL.	BT-20  BT-30
BR-15	<p>Če ni vpisane GTIN-številke dobavnega artikla (BT-45), so naslednji podatki obvezni:</p> <ul style="list-style-type: none"> <li>– Tip identifikacije artikla (BT-55)</li> <li>– Številka identifikacije artikla (BT-56)</li> <li>– Vrsta identifikacije artikla (BT-57)</li> <li>– Opis artikla (BT-58)</li> </ul>	BT-45,  BT-55,  BT-56,  BT-57,  BT-58
BR-16	Vsaka vrstica potrditve naročila (BG-11) mora imeti referenco na vrstico naročila (BT-54).	BT-54
BR-17	Vsaka vrstica potrditve naročila (BG-11) mora vsebovati potrjeno količina artikla (BT-48).	BT-48
BR-18	Vsaka vrstica potrditve naročila (BG-11) mora vsebovati enoto mere potrjene količina artikla (BT-49).	BT-49
BR-19	Vsaka vrstica potrditve naročila mora vsebovati oznako stanja postavke glede na podatke naročila (BT-44).	BT-44

## 7 Sestava sporočila za ePotrditev naročila

UNB	1	M	1	- Interchange header
UNH	2	M	1	- Message header
BGM	3	M	1	- Beginning of message
DTM	4	M	35	- Date/time/period
SG1		R	9999	- RFF-DTM
RFF	5	M	1	- Reference
DTM	6	C	5	- Date/time/period
SG3		C	99	- NAD-SG4-SG6
NAD	7	M	1	- Name and address
SG4		D	99	- RFF
RFF	8	M	1	- Reference
SG6		C	5	- CTA-COM
CTA	9	M	1	- Contact information
COM	10	C	5	- Communication contact
SG3		C	99	- NAD-SG4-SG6
NAD	11	M	1	- Name and address
SG4		D	99	- RFF
RFF	12	M	1	- Reference
SG6		C	5	- CTA-COM
CTA	13	M	1	- Contact information
COM	14	C	5	- Communication contact
SG3		C	99	- NAD-SG4-SG6
NAD	15	M	1	- Name and address
SG4		D	99	- RFF
RFF	16	M	1	- Reference
SG6		C	5	- CTA-COM
CTA	17	M	1	- Contact information
COM	18	C	5	- Communication contact
SG8		C	5	- CUX
CUX	19	M	1	- Currencies
SG12		C	5	- TOD
TOD	20	M	1	- Terms of delivery or transport
SG26		C	200000	- LIN-PIA-IMD-QTY-DTM-MOA-SG30-SG31
LIN	21	M	1	- Line item
PIA	22	C	25	- Additional product id
IMD	23	C	99	- Item description
QTY	24	C	99	- Quantity
DTM	25	C	35	- Date/time/period
MOA	26	C	10	- Monetary amount
SG30		C	25	- PRI-CUX
PRI	27	M	1	- Price details
CUX	28	C	1	- Currencies
SG31		C	9999	- RFF
RFF	29	M	1	- Reference
UNS	30	C	1	- Section control
UNT	31	C	1	- Message trailer
UNZ	32	M	1	- Interchange trailer

## 8 Razvejitevni diagram za ePotrditev naročila

Razvejitevni diagram predstavlja hierarhični prikaz segmentov.



## 9 Podatki o segmentih elektronske potrditve naročila

Posamezen segment je opisan po elementih in navodilih za uporabo teh elementov. Navedene so povezave na poslovne termine (BT) semantičnega modela in primer vrednosti iz demonstracijskega primera<sup>1</sup>. Pri opisih segmenta je uporabljeno poimenovanje po EANCOM 2002 S4, zato je opis v angleškem jeziku.

Segment number: 1

e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
<b>UNB</b> - M 1 - Interchange header					
Function: To identify an interchange.					
Notes: 1. S001/0002, shall be '4' to indicate this version of the syntax. 2. The combination of the values carried in data elements S002, S003 and 0020 shall be used to identify uniquely the interchange, for the purpose of acknowledgement.					
e-SLOG 2.0					
S001	SYNTAX IDENTIFIER		<b>M</b>		
0001	Syntax identifier	a4	<b>M</b>		UNOC
0002	Syntax version number	an1	<b>M</b>		4
0080	Service code list directory version number	an..6	<b>C</b>		X
0133	Character encoding, coded	an..3	<b>C</b>		X
S002	INTERCHANGE SENDER		<b>M</b>		
0004	Interchange sender identification	an..35	<b>M</b>		X
0007	Identification code qualifier	an..4	<b>C</b>		14
0008	Interchange sender internal identification	an..35	<b>C</b>		X
0042	Interchange sender internal sub-identification	an..35	<b>C</b>		X
S003	INTERCHANGE RECIPIENT		<b>M</b>		
0010	Interchange recipient identification	an..35	<b>M</b>		X
0007	Identification code qualifier	an..4	<b>C</b>		14
0014	Interchange recipient internal identification	an..35	<b>C</b>		X
0046	Interchange recipient internal sub-identification	an..35	<b>C</b>		X
S004	DATE AND TIME OF PREPARATION		<b>M</b>		
0017	Date	n8	<b>M</b>		20180828
0019	Time	n4	<b>M</b>		0916
0020	Interchange control reference	an..14	<b>M</b>		X

<sup>1</sup> Demonstracijski primer je v Dodatku C.

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 1

e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
S005	RECIPIENT REFERENCE/ PASSWORD DETAILS		<b>C</b>		
0022	Recipient reference/password	an..14	<b>M</b>		X
0025	Recipient reference/password qualifier	an2	<b>C</b>		AA
0026	Application reference	an..14	<b>C</b>		X
0029	Processing priority code	a1	<b>C</b>		A
0031	Acknowledgement request	n1	<b>C</b>		1
	Interchange agreement				X
0032	identifier	an..35	<b>C</b>		
0035	Test indicator	n1	<b>C</b>		1
Segment Notes:					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 2

<b>UNH</b> - M 1 - Message header					
Function: To head, identify and specify a message.					
Notes: 1. Data element S009/0057 is retained for upward compatibility. The use of S016 and/or S017 is encouraged in preference. 2. The combination of the values carried in data elements 0062 and S009 shall be used to identify uniquely the message within its group (if used) or if not used, within its interchange, for the purpose of acknowledgement.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
0062	Message reference number	an..14	<b>M</b>	Sender's unique message reference. Sequence number of the messages in the interchange. DE 0062 in the UNT will be exactly the same. Sender generated. Numbers in ascending order without gaps. BT-1: Unikatna številka sporočila, določena s strani pošiljatelja.	1
S009	MESSAGE IDENTIFIER		<b>M</b>		
0065	Message type	an..6	<b>M</b>		ORDRSP
0052	Message version number	an..3	<b>M</b>		D
0054	Message release number	an..3	<b>M</b>		01B
0051	Controlling agency, coded	an..3	<b>M</b>	UN = <b>UN/CEFACT</b>	UN
Segment Notes: This segment is used to head, identify and specify a message.					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 3

BGM - M 1 - Beginning of message					
Function: To indicate the type and function of a message and to transmit the identifying number.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C002	DOCUMENT/MESSAGE NAME		R		
1001	Document name code	an..3	R	231 = <b>Purchase order response</b> BT-2: Oznaka vrste potrditve naročila.	231
C106	DOCUMENT/MESSAGE IDENTIFICATION		R		
1004	Document identifier	an..70	R	Order response Number assigned by document sender. It is recommended that the length of the document number be restricted to a maximum of 17 characters. BT-3: Številka potrditve naročila, določena s strani pošiljatelja.	12856
1225	Message function code	an..3	R	4 = <b>Change</b> 27 = <b>Not accepted</b> 29 = <b>Accepted without amendment</b> 45 = <b>Accepted with reserves</b> BT-4: Vloga dokumenta potditve naročila.	29
<p><b>Segment Notes:</b> This segment is used to indicate the type and function of a message and to transmit the identifying number. It is recommended that all line items from original Purchase Order are included in message regardless what is in DE 1225.</p>					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 4

DTM - M 35 - Date/time/period					
Function: To specify date, and/or time, or period.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		<b>M</b>		
2005	Date or time or period function code qualifier	an..3	<b>M</b>	137 = Document/message date/time 17 = Delivery date/time, estimated 63 = Delivery date/time, latest 64 = Delivery date/time, earliest 69 = Delivery date/time, promised for 76 = Delivery date/time, scheduled for Code value 137 is required.	137
2380	Date or time or period value	an..35	<b>R</b>	BT-5: Datum in čas izdelave sporočila (137). BT-6: Predviden datum dobave (17). BT-7: Ostali datumi vezani na potrditev naročila.	201802280 94850
2379	Date or time or period format code	an..3	<b>R</b>	204 = CCYYMMDDHHMMSS 102 = CCYYMMDD	204
Segment Notes: This segment is used to specify dates/times relating to the Purchase Order Response, or if required, dates relating to the delivery or collection of the goods. DE 2005: Identification of the 'Document/message date/time' (code value 137) is mandatory in an EANCOM message.					

Segment number: 5

<b>SG1</b>	- R	9999 - RFF-DTM			
<b>RFF</b>	- M	1 - Reference			
Function: To specify a reference.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		<b>M</b>		
1153	Reference code qualifier	an..4	<b>M</b>	CT = <b>Contract number</b> ON = <b>Order number (buyer)</b> VN = <b>Order number (supplier)</b> BT-11: Tip referenčnega dokumenta, na katerega se potrditev naročila navezuje.	ON
1154	Reference identifier	an..70	<b>R</b>	BT-9: Referenca na naročilo, na katerega se potrditev naročila navezuje (ON). BT-12: Številka referenčnega dokumenta, na katere se potrditev naročila navezuje.	128576
Segment Notes: This segment is used to refer to the Purchase Order or Purchase Order Change Request to which the Purchase Order Response is responding. Additionally, further reference can be provided as corrections or clarifications to a previously sent Purchase Order or Purchase Order Change Request. References should normally be given at this point if they apply to all or a majority of the line items.					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 6

<b>SG1</b>	- R	9999 - RFF-DTM			
<b>DTM</b>	- C	5 - Date/time/period			
Function: To specify date, and/or time, or period.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		<b>M</b>		
2005	Date or time or period function code qualifier	an..3	<b>M</b>	171 = <b>Reference date/time</b> This segment is used to specify dates relating to the references given in the preceding RFF segment.	171
2380	Date or time or period value	an..35	<b>R</b>	BT-10: Datum naročila na katerega se potrditev naročila navezuje (ON). BT-13: Datum referenčnega dokumenta na katerega se potrditev naročila navezuje.	201804251 20015
2379	Date or time or period format code	an..3	<b>R</b>	204 = <b>CCYYMMDDHHMMSS</b> 102 = <b>CCYYMMDD</b>	204
Segment Notes: This segment is used to specify dates relating to the references given in the preceding RFF segment.					

Segment number: 7

<b>SG3</b>	- C	99 - NAD-SG4-SG6			
<b>NAD</b>	- M	1 - Name and address			
Function: To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
3035	Party function code qualifier	an..3	<b>M</b>	BY = Buyer DP = Delivery party IV = Invoicee SR = Supplier's agent/ representative SU = Supplier UC = Ultimate consignee UD = Ultimate customer	BY
C082	PARTY IDENTIFICATION DETAILS		<b>D</b>	For identification of the party C082 must be used. Exceptions are only allowed for parties without GLN. For parties without GLN usage of SG3 is required.	
3039	Party identifier	an..70	<b>M</b>	GLN - Format n13 BT-14: GLN kupca (BY).	383234500 0189
1131	Code list identification code	an..17	<b>N</b>	Not used	
3055	Code list responsible agency code	an..3	<b>C</b>	9 = GS1	9
C058	NAME AND ADDRESS		<b>N</b>		
3124	Name and address description	an..35	<b>N</b>	Not used	
C080	PARTY NAME		<b>C</b>		
3036	Party name	an..70	<b>M</b>	BT-17: Naziv kupca.	Kupec d.o.o.
3036	Party name	an..70	<b>C</b>		X
3036	Party name	an..70	<b>C</b>		X
3036	Party name	an..70	<b>C</b>		X
3036	Party name	an..70	<b>C</b>		X
C059	STREET		<b>C</b>		
3042	Street and number or post office box identifier	an..35	<b>M</b>	BT-18: Ulica in hišna številka kupca.	Kupceva ulica 20
3042	Street and number or post office box identifier	an..35	<b>C</b>		X
3042	Street and number or post office box identifier	an..35	<b>C</b>		X
3042	Street and number or post office box identifier	an..35	<b>C</b>		X
3164	City name	an..35	<b>C</b>	BT-19: Mesto kupca.	Ljubljana-Crnuce
C819	COUNTRY SUB-ENTITY DETAILS		<b>N</b>		

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 7

e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
3229	Country sub-entity name code	an..9	N	Not used	
3251	Postal identification code	an..17	C	BT-20: Poštna številka kupca.	1231
3207	Country name code	an..3	C	BT-21: Država kupca.	SI

### Segment Notes:

This segment is used to identify the trading partners involved in the Order process. Identification of the buyer and supplier of goods and services is mandatory using DE's 3035 and C082. Additionally, the invoicee and/or delivery party should be specified if different to the buyer. The following composites and data elements are only used when a coded name and address can not be used or there is a requirement to furnish the full name and address for the trading party. The affected composites and data elements are as follows: C080 - C059 - 3164 - C819 - 3251 - 3207

Segment number: 8

<b>SG3</b>	- C	99 - NAD-SG4-SG6			
<b>SG4</b>	- D	99 - RFF			
<b>RFF</b>	- M	1 - Reference			
Function: To specify a reference.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		<b>M</b>		
1153	Reference code qualifier	an..4	<b>M</b>	VA = <b>VAT registration number</b> IT = <b>Internal customer number</b> IA = <b>Internal vendor number</b> YC1 = <b>Additional party identification (GS1 Temporary Code)</b>	VA
1154	Reference identifier	an..70	<b>R</b>	BT-15: Davčna številka kupca (VA). BT-16: Ostali referenčni podatki kupca.	SI12345678
Segment Notes: This segment is used to specify reference numbers related to the party specified in the previous NAD segment. For Buyer(BY) and Supplier(SU) usage of VAT registration number(VA) is required. Usage of other codes should be mutually defined among trading partners.					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 9

<b>SG3</b>	- C	99 - NAD-SG4-SG6			
<b>SG6</b>	- C	5 - CTA-COM			
<b>CTA</b>	- M	1 - Contact information			
<p>Function: To identify a person or a department to whom communication should be directed.</p>					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
3139	Contact function code	an..3	<b>R</b>	OC = <b>Order contact</b> WH = <b>Warehouse</b> CR = <b>Customer relations</b> IC = <b>Information contact</b> Qualifier CR may only be used for consumer(NAD+UC)	OC
C056	DEPARTMENT OR EMPLOYEE DETAILS		<b>C</b>		
3413	Department or employee name code	an..17	<b>N</b>	Not used	
3412	Department or employee name	an..256	<b>C</b>	BT-22: Kontaktne osebe kupca.	Ana Novak
<p>Segment Notes: This segment is used to identify contact details for the party specified in the previous NAD segment. The GLN - Format n13 - is particularly suitable for this purpose.</p>					

Segment number: 10

<b>SG3</b>	- C	99 - NAD-SG4-SG6			
<b>SG6</b>	- C	5 - CTA-COM			
<b>COM</b>	- C	5 - Communication contact			
Function: To identify a communication number of a department or a person to whom communication should be directed.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C076	COMMUNICATION CONTACT		<b>M</b>		
3148	Communication address identifier	an..512	<b>M</b>	BT-23: Naslovi za kontakt kupca.	ana. novak@kup ec.si
3155	Communication address code qualifier	an..4	<b>M</b>	EM = <b>Electronic mail</b> TE = <b>Telephone</b>	EM
Segment Notes: This segment identifies the communications number, and type of communications, for the person or department identified in the preceding CTA segment.					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 11

<b>SG3</b>	- C	99 - NAD-SG4-SG6			
<b>NAD</b>	- M	1 - Name and address			
Function: To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
3035	Party function code qualifier	an..3	<b>M</b>	BY = Buyer DP = Delivery party IV = Invoicee SR = Supplier's agent/ representative SU = Supplier UC = Ultimate consignee UD = Ultimate customer	SU
C082	PARTY IDENTIFICATION DETAILS		<b>D</b>	For identification of the party C082 must be used. Exceptions are only allowed for parties without GLN. For parties without GLN usage of SG3 is required.	
3039	Party identifier	an..70	<b>M</b>	GLN - Format n13 BT-24: GLN dobavitelja (SU).	383456700 0210
1131	Code list identification code	an..17	<b>N</b>	Not used	
3055	Code list responsible agency code	an..3	<b>C</b>	9 = GS1	9
C058	NAME AND ADDRESS		<b>N</b>		
3124	Name and address description	an..35	<b>N</b>	Not used	
C080	PARTY NAME		<b>C</b>		
3036	Party name	an..70	<b>M</b>	BT-27: Naziv dobavitelja.	Dobavitelj d.o.o.
3036	Party name	an..70	<b>C</b>		X
3036	Party name	an..70	<b>C</b>		X
3036	Party name	an..70	<b>C</b>		X
3036	Party name	an..70	<b>C</b>		X
C059	STREET		<b>C</b>		
3042	Street and number or post office box identifier	an..35	<b>M</b>	BT-28: Ulica in hišna številka dobavitelja.	Dobavitelje va ulica 20
3042	Street and number or post office box identifier	an..35	<b>C</b>		X
3042	Street and number or post office box identifier	an..35	<b>C</b>		X
3042	Street and number or post office box identifier	an..35	<b>C</b>		X
3164	City name	an..35	<b>C</b>	BT-29: Mesto dobavitelja.	Nova Gorica
C819	COUNTRY SUB-ENTITY DETAILS		<b>N</b>		

Segment number: 11

e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
3229	Country sub-entity name code	an..9	N	Not used	
3251	Postal identification code	an..17	C	BT-30: Poštna številka dobavitelja.	5000
3207	Country name code	an..3	C	BT-31: Država dobavitelja.	SI

**Segment Notes:**

This segment is used to identify the trading partners involved in the Order process. Identification of the buyer and supplier of goods and services is mandatory using DE's 3035 and C082. Additionally, the invoicee and/or delivery party should be specified if different to the buyer. The following composites and data elements are only used when a coded name and address can not be used or there is a requirement to furnish the full name and address for the trading party. The affected composites and data elements are as follows: C080 - C059 - 3164 - C819 - 3251 - 3207

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 12

<b>SG3</b>	- C	99 - NAD-SG4-SG6			
<b>SG4</b>	- D	99 - RFF			
<b>RFF</b>	- M	1 - Reference			
Function: To specify a reference.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		<b>M</b>		
1153	Reference code qualifier	an..4	<b>M</b>	VA = <b>VAT registration number</b> IT = <b>Internal customer number</b> IA = <b>Internal vendor number</b> YC1 = <b>Additional party identification (GS1 Temporary Code)</b>	VA
1154	Reference identifier	an..70	<b>R</b>	BT-25: Davčna številka dobavitelja(VA). BT-26: Ostali referenčni podatki dobavitelja.	SI12345678
Segment Notes: This segment is used to specify reference numbers related to the party specified in the previous NAD segment. For Buyer(BY) and Supplier(SU) usage of VAT registration number(VA) is required. Usage of other codes should be mutually defined among trading partners.					

Segment number: 13

<b>SG3</b>	- C	99 - NAD-SG4-SG6			
<b>SG6</b>	- C	5 - CTA-COM			
<b>CTA</b>	- M	1 - Contact information			
Function: To identify a person or a department to whom communication should be directed.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
3139	Contact function code	an..3	<b>R</b>	OC = Order contact WH = Warehouse CR = Customer relations IC = Information contact Qualifier CR may only be used for consumer(NAD+UC)	IC
C056	DEPARTMENT OR EMPLOYEE DETAILS		<b>C</b>		
3413	Department or employee name code	an..17	<b>N</b>	Not used	
3412	Department or employee name	an..256	<b>C</b>	BT-32: Kontaktne osebe dobavitelja.	Tine Novak
Segment Notes: This segment is used to identify contact details for the party specified in the previous NAD segment. The GLN - Format n13 - is particularly suitable for this purpose.					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 14

<b>SG3</b>	- C	99 - NAD-SG4-SG6			
<b>SG6</b>	- C	5 - CTA-COM			
<b>COM</b>	- C	5 - Communication contact			
Function: To identify a communication number of a department or a person to whom communication should be directed.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C076	COMMUNICATION CONTACT		<b>M</b>		
3148	Communication address identifier	an..512	<b>M</b>	BT-33: Naslovi za kontakt dobavitelja.	tine.novak@dobavitelj.si
3155	Communication address code qualifier	an..4	<b>M</b>	EM = <b>Electronic mail</b> TE = <b>Telephone</b>	EM
Segment Notes: This segment identifies the communications number, and type of communications, for the person or department identified in the preceding CTA segment.					

Segment number: 15

<b>SG3</b>	- C	99 - NAD-SG4-SG6			
<b>NAD</b>	- M	1 - Name and address			
Function: To specify the name/address and their related function, either by C082 only and/or unstructured by C058 or structured by C080 thru 3207.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
3035	Party function code qualifier	an..3	<b>M</b>	BY = Buyer DP = Delivery party IV = Invoicee SR = Supplier's agent/ representative SU = Supplier UC = Ultimate consignee UD = Ultimate customer	DP
C082	PARTY IDENTIFICATION DETAILS		<b>D</b>	For identification of the party C082 must be used. Exceptions are only allowed for parties without GLN. For parties without GLN usage of SG3 is required.	
3039	Party identifier	an..70	<b>M</b>	GLN - Format n13 BT-34: GLN dostavnega mesta (DP).	383234500 0372
1131	Code list identification code	an..17	<b>N</b>	Not used	
3055	Code list responsible agency code	an..3	<b>C</b>	9 = GS1	9
C058	NAME AND ADDRESS		<b>N</b>		
3124	Name and address description	an..35	<b>N</b>	Not used	
C080	PARTY NAME		<b>C</b>		
3036	Party name	an..70	<b>M</b>	BT-36: Naziv dostavnega mesta.	Dostavno Mesto d.o.o.
3036	Party name	an..70	<b>C</b>		X
3036	Party name	an..70	<b>C</b>		X
3036	Party name	an..70	<b>C</b>		X
3036	Party name	an..70	<b>C</b>		X
C059	STREET		<b>C</b>		
3042	Street and number or post office box identifier	an..35	<b>M</b>	BT-37: Ulica in hišna številka dostavnega mesta.	Dostavna ulica 20
3042	Street and number or post office box identifier	an..35	<b>C</b>		X
3042	Street and number or post office box identifier	an..35	<b>C</b>		X
3042	Street and number or post office box identifier	an..35	<b>C</b>		X
3164	City name	an..35	<b>C</b>	BT-38: Mesto dostavnega mesta.	Koper
C819	COUNTRY SUB-ENTITY DETAILS		<b>N</b>		

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 15

e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
3229	Country sub-entity name code	an..9	N	Not used	
3251	Postal identification code	an..17	C	BT-39: Poštna številka dostavnega mesta.	6000
3207	Country name code	an..3	C	BT-40: Država dostavnega mesta.	SI

**Segment Notes:**

This segment is used to identify the trading partners involved in the Order process. Identification of the buyer and supplier of goods and services is mandatory using DE's 3035 and C082. Additionally, the invoicee and/or delivery party should be specified if different to the buyer. The following composites and data elements are only used when a coded name and address can not be used or there is a requirement to furnish the full name and address for the trading party. The affected composites and data elements are as follows: C080 - C059 - 3164 - C819 - 3251 - 3207

Segment number: 16

<b>SG3</b>	- C	99 - NAD-SG4-SG6			
<b>SG4</b>	- D	99 - RFF			
<b>RFF</b>	- M	1 - Reference			
Function: To specify a reference.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		<b>M</b>		
1153	Reference code qualifier	an..4	<b>M</b>	VA = <b>VAT registration number</b> IT = <b>Internal customer number</b> IA = <b>Internal vendor number</b> YC1 = <b>Additional party identification (GS1 Temporary Code)</b>	IT
1154	Reference identifier	an..70	<b>R</b>	BT-35: Referenčni podatki dostavnega mesta.	8765432
Segment Notes: This segment is used to specify reference numbers related to the party specified in the previous NAD segment. For Buyer(BY) and Supplier(SU) usage of VAT registration number(VA) is required. Usage of other codes should be mutually defined among trading partners.					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 17

<b>SG3</b>	- C	99 - NAD-SG4-SG6			
<b>SG6</b>	- C	5 - CTA-COM			
<b>CTA</b>	- M	1 - Contact information			
<p>Function: To identify a person or a department to whom communication should be directed.</p>					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
3139	Contact function code	an..3	<b>R</b>	OC = <b>Order contact</b> WH = <b>Warehouse</b> CR = <b>Customer relations</b> IC = <b>Information contact</b> Qualifier CR may only be used for consumer(NAD+UC)	IC
C056	DEPARTMENT OR EMPLOYEE DETAILS		<b>C</b>		
3413	Department or employee name code	an..17	<b>N</b>	Not used	
3412	Department or employee name	an..256	<b>C</b>	BT-41: Kontaktno osebe dostavnega mesta.	Maja Novak
<p>Segment Notes: This segment is used to identify contact details for the party specified in the previous NAD segment. The GLN - Format n13 - is particularly suitable for this purpose.</p>					

Segment number: 18

<b>SG3</b>	- C	99 - NAD-SG4-SG6			
<b>SG6</b>	- C	5 - CTA-COM			
<b>COM</b>	- C	5 - Communication contact			
Function: To identify a communication number of a department or a person to whom communication should be directed.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C076	COMMUNICATION CONTACT		<b>M</b>		
3148	Communication address identifier	an..512	<b>M</b>	BT-42: Naslovi za kontakt dostavnega mesta.	maja.novak@domestomesto.si
3155	Communication address code qualifier	an..4	<b>M</b>	EM = <b>Electronic mail</b> TE = <b>Telephone</b>	EM
Segment Notes: This segment identifies the communications number, and type of communications, for the person or department identified in the preceding CTA segment.					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 19

<b>SG8</b>	- C	5 - CUX			
<b>CUX</b>	- M	1 - Currencies			
<p>Function: To specify currencies used in the transaction and relevant details for the rate of exchange.</p>					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C504	CURRENCY DETAILS		<b>R</b>		
6347	Currency usage code qualifier	an..3	<b>R</b>	2 = Reference currency	2
6345	Currency identification code	an..3	<b>R</b>	EUR = Euro ISO 4217 three alpha. BT-8: Valuta zneskov na potrditvi naročila.	EUR
<p>Segment Notes: This segment is used to specify currency information for the complete order. The CUX segment is mandatory for international exchanges.</p>					

Segment number: 20

<b>SG12</b>	- C	5 - TOD			
<b>TOD</b>	- M	1 - Terms of delivery or transport			
Function: To specify terms of delivery or transport.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
4055	Delivery or transport terms function code	an..3	R	6 = <b>Delivery condition</b>	6
4215	Transport charges payment method code	an..3	N	Not used	
C100	TERMS OF DELIVERY OR TRANSPORT		C		
4053	Delivery or transport terms description code	an..3	C	INCOTERMS 2000.	CIF
1131	Code list identification code	an..17	C	2E = <b>Incoterms 2000 (GS1 Temporary Code)</b>	2E
3055	Code list responsible agency code	an..3	C	9 = <b>GS1</b>	9
Segment Notes: This segment is used in the Purchase Order Response to provide a change or correction to the terms of delivery information provided in a previous Purchase Order or Purchase Order Change Request.					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 21

<b>SG26</b> - C 200000 - LIN-PIA-IMD-QTY-DTM-MOA-SG30-SG31					
<b>LIN</b> - M 1 - Line item					
Function: To identify a line item and configuration.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
1082	Line item identifier	an..6	R	Application generated number of the count of the order lines. BT-43: Številka postavke.	1
1229	Action request/notification description code	an..3	R	3 = <b>Changed</b> 5 = <b>Accepted without amendment</b> BT-44: Oznaka stanja postavke, glede na podatke naročila.	5
C212	ITEM NUMBER IDENTIFICATION		C		
7140	Item identifier	an..35	R	Format n..14 GTIN - this is the number of the article being ordered. If GTIN is not used then C212 is not used. BT-45: GTIN številka artikla.	761234500 0206
7143	Item type identification code	an..4	R	SRV = <b>GS1 Global Trade Item Number</b>	SRV
Segment Notes: This segment is used to identify the product being responded to.					

Segment number: 22

<b>SG26</b>	- C	200000 - LIN-PIA-IMD-QTY-DTM-MOA-SG30-SG31			
<b>PIA</b>	- C	25 - Additional product id			
Function: To specify additional or substitutional item identification codes.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
4347	Product identifier code qualifier	an..3	<b>M</b>	<p>1 = <b>Additional identification</b>                      4 = <b>Substituted for</b>                      5 = <b>Product identification</b></p> <p>Product Id function coded has the following restricted coded functions:                      1 - Additional Identification - To provide an additional identity for the product identified in the LIN segment. The additional identification can consist of:                      A supplemental identification which provides more information complementary to the main trade item number provided in the LIN segment, e.g., a batch number, promotional variant number, product group number, etc. An alternative identification which may be used where no main trade item number has been provided in the LIN segment, e.g., a buyers article number, an HIBC code, etc.                      2 - Identification for substitution - To provide the trade item number of a product which can substitute the product identified by the trade item number provided in the LIN segment when the latter is temporarily unavailable, e.g., a similar or identical product coded with a different GTIN (article coded in a different country), a different size unit of the same product, a similar product with for example a different brand name.                      5 - Product Identification - To provide the primary product identification code when no GTIN has been provided in the LIN segment. GTIN should not be used in conjunction with this code value. It should be noted that when this code is used the product code specified here is the code which should be used for invoicing purposes.                      BT-55: Tip dodatne identifikacije artikla.</p>	5
C212	ITEM NUMBER IDENTIFICATION		<b>M</b>		

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 22

e-SLOG 2.0			St	Usage	Example
Tag	Name	Format			
7140	Item identifier	an..35	C	BT-56: Številka identifikacije artikla.	ABC1234
7143	Item type identification code	an..4	C	GB = Buyer's internal product group code IN = Buyer's item number SA = Supplier's article number SRV = GS1 Global Trade Item Number SUE = GS1 Global Returnable Asset Identifier, non-serialised BT-57: Vrsta dodatne identifikacije artikla.	IN
1131	Code list identification code	an..17	N	Not used	
3055	Code list responsible agency code	an..3	C	9 = GS1 91 = Assigned by supplier or supplier's agent 92 = Assigned by buyer or buyer's agent	91
<p>Segment Notes:</p> <p>This segment is used to specify additional or substitutional item identification codes such as a buyer's, or seller's item number.</p>					

Segment number: 23

<b>SG26</b>	- C	200000	- LIN-PIA-IMD-QTY-DTM-MOA-SG30-SG31	
<b>IMD</b>	- C	99	- Item description	
Function: To describe an item in either an industry or free format.				
e-SLOG 2.0				
Tag	Name	Format	St Usage	Example
7077	Description format code	an..3	<b>R</b> F = Free-form C = Code (from industry code list)	F
C272	ITEM CHARACTERISTIC		<b>N</b>	
7081	Item characteristic code	an..3	<b>N</b> Not used	
C273	ITEM DESCRIPTION		<b>C</b>	
7009	Item description code	an..17	<b>C</b> CU = Consumer unit (GS1 Permanent Code) TU = Traded unit (GS1 Permanent Code) Details about pricing not allowed here. These are to be transmitted within the PRI segment.	CU
1131	Code list identification code	an..17	<b>N</b> Not used	
3055	Code list responsible agency code	an..3	<b>C</b> 9 = GS1	9
7008	Item description	an..256	<b>C</b> BT-58: Opis artikla.	Brezalkohol na pijaca ABC
7008	Item description	an..256	<b>C</b>	Zaboj
Segment Notes: This segment is used to describe the current line item. It is recommended that this segment only be used for coded descriptions. Data element 7008 in clear text should only be used when no product code is available or when free-form descriptions are required by trading partners.				

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 24

<b>SG26</b>	- C	200000	- LIN-PIA-IMD-QTY-DTM-MOA-SG30-SG31		
<b>QTY</b>	- C	99	- Quantity		
Function: To specify a pertinent quantity.					
e-SLOG 2.0					
Tag	Name	Format	St Usage	Example	
C186	QUANTITY DETAILS		<b>M</b>		
6063	Quantity type code qualifier	an..3	<b>M</b>	21 = <b>Ordered quantity</b> 59 = <b>Number of consumer units in the traded unit</b> 113 = <b>Quantity to be delivered</b> Code value '59' is only to be used in the Purchase Order Response for confirmation purposes and not to change any information previously agreed and contained in a price or product catalogue.	21
6060	Quantity	an..35	<b>M</b>	BT-46: Količina naročenega artikla (21). BT-48: Potrjena količina artikla (113). BT-50: Število enot za končnega potrošnika v naročenem artiklu (59).	48
6411	Measurement unit code	an..8	<b>D</b>	KGM = <b>kilogram</b> LTR = <b>litre</b> MTR = <b>metre</b> PCE = <b>Piece (GS1 Temporary Code)</b> Other attributes from codelist may be mutually defined among trading partners. D: This DE is only used if the product being identified is of variable quantity. BT-47: Enota mere naročenega artikla (21). BT-49: Enota mere potrjene količine artikla (113). BT-51: Enota mere za število enot za končnega potrošnika v naročenem artiklu (59).	PCE
Segment Notes: This segment is used to specify quantity information related to the current line item. If split deliveries are being used, the quantities for the split delivery are specified in segment group 35. The totals for all quantities expressed in the QTY's at segment group level must equal the value in this QTY segment.					

Segment number: 25

<b>SG26</b> - C 200000 - LIN-PIA-IMD-QTY-DTM-MOA-SG30-SG31					
<b>DTM</b> - C 35 - Date/time/period					
Function: To specify date, and/or time, or period.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C507	DATE/TIME/PERIOD		<b>M</b>		
2005	Date or time or period function code qualifier	an..3	<b>M</b>	17 = Delivery date/time, estimated 63 = Delivery date/time, latest 64 = Delivery date/time, earliest 69 = Delivery date/time, promised for 76 = Delivery date/time, scheduled for	17
2380	Date or time or period value	an..35	<b>R</b>	BT-52: Predviden datum dobave artikla (17).	20180910150000
2379	Date or time or period format code	an..3	<b>R</b>	204 = CCYYMMDDHHMMSS 102 = CCYYMMDD	204
Segment Notes: This segment is used to specify dates/times relating to the Purchase Order Response, or if required, dates relating to the delivery or collection of the goods.					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 26

<b>SG26</b> - C 200000 - LIN-PIA-IMD-QTY-DTM-MOA-SG30-SG31					
<b>MOA</b> - C 10 - Monetary amount					
Function: To specify a monetary amount.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C516	MONETARY AMOUNT		<b>M</b>		
5025	Monetary amount type code qualifier	an..3	<b>M</b>	203 = <b>Line item amount</b>	203
5004	Monetary amount	n..35	<b>R</b>	BT-53: Vrednost postavke (203).	1700.00
Segment Notes: This segment is used to specify line item monetary amount. For specific purposes usage of this segment should be mutually defined among trading partners.					

Segment number: 27

<b>SG26</b>	- C	200000	- LIN-PIA-IMD-QTY-DTM-MOA-SG30-SG31		
<b>SG30</b>	- C	25	- PRI-CUX		
<b>PRI</b>	- M	1	- Price details		
Function: To specify price information.					
e-SLOG 2.0					
Tag	Name	Format	St Usage	Example	
C509	PRICE INFORMATION		<b>R</b>		
5125	Price code qualifier	an..3	<b>M</b>	AAA = <b>Calculation net</b> AAB = <b>Calculation gross</b> AAE = <b>Information price, excluding allowances or charges, including taxes</b> AAF = <b>Information price, excluding allowances or charges and taxes</b> INF = <b>Information</b> BT-59: Vrsta cene artikla.	AAA
5118	Price amount	n..15	<b>R</b>	BT-60: Cena artikla.	12
5375	Price type code	an..3	<b>N</b>	Not used	
5387	Price specification code	an..3	<b>C</b>	INV = <b>Invoice price</b> DPR = <b>Discount price</b> DR = <b>Dealer price</b> LBL = <b>Labelling price</b> PRP = <b>Promotional price</b> RTP = <b>Retail price</b> BT-61: Specifikacija cene artikla.	RTP
5284	Unit price basis value	n..9	<b>C</b>	BT-62: Količina na enoto cene.	1
6411	Measurement unit code	an..8	<b>C</b>	KGM = <b>kilogram</b> LTR = <b>litre</b> MTR = <b>metre</b> PCE = <b>Piece (GS1 Temporary Code)</b> BT-63: Merska enota cene.	PCE
Segment Notes: This segment is used to provide price information for the current line item. The calculation price detailed in the Order Response will always be the Net Unit Price, i.e., Gross Price + Charges - Allowances. Dependency Notes: Data elements 5284 and 6411 are used when a product is a variable quantity product, e.g. price per 200 kilos, or when the unit of measure for purchasing, delivery, and invoicing are different for a product, e.g. sugar is not a variable quantity product but ordered and delivered in packs, and invoiced in kilos or tonnes.					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 28

<b>SG26</b>	- C	200000	- LIN-PIA-IMD-QTY-DTM-MOA-SG30-SG31		
<b>SG30</b>	- C	25	- PRI-CUX		
<b>CUX</b>	- C	1	- Currencies		
Function: To specify currencies used in the transaction and relevant details for the rate of exchange.					
e-SLOG 2.0					
Tag	Name	Format	St Usage	Example	
C504	CURRENCY DETAILS		<b>C</b>		
6347	Currency usage code qualifier	an..3	<b>M</b>	2 = <b>Reference currency</b>	2
6345	Currency identification code	an..3	<b>R</b>	EUR = <b>Euro</b>	EUR
6343	Currency type code qualifier	an..3	<b>R</b>	4 = <b>Invoicing currency</b> 9 = <b>Order currency</b>	4
Segment Notes: This segment is used to specify currency data related to the previous PRI segment.					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 29

<b>SG26</b>	- C	200000	-	LIN-PIA-IMD-QTY-DTM-MOA-SG30-SG31	
<b>SG31</b>	- C	9999	-	RFF	
<b>RFF</b>	- M	1	-	Reference	
Function: To specify a reference.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
C506	REFERENCE		<b>M</b>		
1153	Reference code qualifier	an..4	<b>M</b>	ON = <b>Order number (buyer)</b> CT = <b>Contract number</b> PD = <b>Promotion deal number</b> LI = <b>Line item reference number</b> Qualifier LI refers to the related detail order line of the ORDERS message. The order-number must be submitted in the header of the message with the qualifier ON (VN). (see example): AAK can be used for return-deliveries.	ON
1154	Reference identifier	an..70	<b>C</b>		128576
1156	Document line identifier	an..6	<b>C</b>	BT-54: Številka postavke originalnega naročila, na katerega se postavka iz potrditve naročila nanaša (ON).	1
<b>Segment Notes:</b> This segment is used to specify any references, which are applicable to the current line item only. References stated here will override those specified in the heading section when the same qualifier is used.					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 30

<b>UNS</b> - C 1 - Section control					
Function: To separate header, detail and summary sections of a message.					
Notes: To be used by message designers only when required to avoid ambiguities.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
0081	Section identification	a1	<b>M</b>		D
Segment Notes:					

Segment number: 31

<b>UNT</b> - C 1 - Message trailer					
Function: To end and check the completeness of a message.					
Notes: 1. 0062, the value shall be identical to the value in 0062 in the corresponding UNH segment.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
0074	Number of segments in a message	n..10	<b>M</b>		30
0062	Message reference number	an..14	<b>M</b>		1
Segment Notes:					

## eSLOG 2.0 - Elektronska potrditev naročila

Segment number: 32

<b>UNZ</b> - M 1 - Interchange trailer					
Function: To end and check the completeness of an interchange.					
Notes: 1. 0020, the value shall be identical to the value in 0020 in the corresponding UNB segment.					
e-SLOG 2.0					
Tag	Name	Format	St	Usage	Example
0036	Interchange control count	n..6	<b>M</b>		1
0020	Interchange control reference	an..14	<b>M</b>		X
Segment Notes:					

## 10 Šifranti v ePotrditvi naročila

To poglavje navaja mogoče vnose za določene elemente XML. Poleg seznama šifer sta navedena ime elementa XML in njegov opis. Imena polja so navedena brez predpone D\_, ki se pojavi v XML-sintaksi.

### 0001 Syntax identifier

Code	Code name/description
<b>UNOA</b>	UN/ECE level A As defined in the basic code table of ISO 646 with the exceptions of lower case letters, alternative graphic character allocations and national or application-oriented graphic character allocations.
<b>UNOB</b>	UN/ECE level B As defined in the basic code table of ISO 646 with the exceptions of alternative graphic character allocations and national or application-oriented graphic character allocations.
<b>UNOC</b>	UN/ECE level C As defined in ISO 8859-1 : Information processing - Part 1: Latin alphabet No. 1.
<b>UNOD</b>	UN/ECE level D As defined in ISO 8859-2 : Information processing - Part 2: Latin alphabet No. 2.
<b>UNOE</b>	UN/ECE level E As defined in ISO 8859-5 : Information processing - Part 5: Latin/Cyrillic alphabet.
<b>UNOF</b>	UN/ECE level F As defined in ISO 8859-7 : Information processing - Part 7: Latin/Greek alphabet.
<b>UNOG</b>	UN/ECE level G As defined in ISO 8859-3 : Information processing - Part 3: Latin alphabet.
<b>UNOH</b>	UN/ECE level H As defined in ISO 8859-4 : Information processing - Part 4: Latin alphabet.
<b>UNOI</b>	UN/ECE level I As defined in ISO 8859-6 : Information processing - Part 6: Latin/Arabic alphabet.
<b>UNOJ</b>	UN/ECE level J As defined in ISO 8859-8 : Information processing - Part 8: Latin/Hebrew alphabet.
<b>UNOK</b>	UN/ECE level K As defined in ISO 8859-9 : Information processing - Part 9: Latin alphabet.
<b>UNOW</b>	UN/ECE level W ISO 10646-1 octet with code extension technique to support UTF-8 (UCS Transformation Format, 8 bit) encoding.
<b>UNOX</b>	UN/ECE level X Code extension technique as defined by ISO 2022 utilising the escape techniques in accordance with ISO 2375.
<b>UNOY</b>	UN/ECE level Y ISO 10646-1 octet without code extension technique.

### 0002 Syntax version number

Code	Code name/description
<b>3</b>	Version 3 ISO 9735 Amendment 1:1992.

## eSLOG 2.0 - Elektronska potrditev naročila

4	Version 4 ISO 9735:1998.
---	-----------------------------

### 0007 Identification code qualifier

Code	Code name/description
14	GS1 Partner identification code assigned by GS1, an international organization of GS1 Member Organizations that manages the GS1 System.

### 0025 Recipient reference/password qualifier

Code	Code name/description
AA	Reference Recipient's reference/password is a reference.
BB	Password Recipient's reference/password is a password.

### 0029 Processing priority code

Code	Code name/description
A	Highest priority Requested processing priority is the highest.

### 0031 Acknowledgement request

Code	Code name/description
1	Requested Acknowledgement is requested.

### 0035 Test indicator

Code	Code name/description
1	Interchange is a test Indicates that the interchange is a test.
5	Interchange is a service provider test Indicates that this interchange is a test with a service provider.

### 0051 Controlling agency, coded

Code	Code name/description
UN	UN/CEFACT United Nations Centre for Trade Facilitation and Electronic Business (UN/CEFACT).

**0052 Message version number**

Code	Code name/description
<b>4</b>	Service message, version 4 Service messages approved and issued as a part of ISO 9735/Version 4, for use with that version of the syntax.  Notes: For earlier versions of the UN/EDIFACT CONTRL message, each published by the UN as a stand-alone message, the version number to be used is specified in the message documentation.
<b>D</b>	Draft version/UN/EDIFACT Directory Message approved and issued as a draft message (Valid for directories published after March 1993 and prior to March 1997). Message approved as a standard message (Valid for directories published after March 1997).

**0054 Message release number**

Code	Code name/description
<b>1</b>	First release Message approved and issued in the first release of the year of the UNTDID (United Nations Trade Data Interchange Directory).
<b>3</b>	Third release, CONTRL message Third release of the service message type CONTRL. Approved and issued as document TRADE/WP.4/R.1186/Rev.1 (including Corr.1) for use with version 2 and 3 of the syntax.  Notes: This code shall only be used with the CONTRL message.
<b>01B</b>	Release 2001 - B Message approved and issued in the second 2001 release of the UNTDID (United Nations Trade Data Interchange Directory).

**0065 Message type**

Code	Code name/description
<b>APERAK</b>	Application error and acknowledgement message A code to identify the application error and acknowledgement message.
<b>AUTACK</b>	Secure authentication and acknowledgement message A code to identify the secure authentication and acknowledgement message.
<b>BANSTA</b>	Banking status message A code to identify the banking status message.
<b>CNTCND</b>	Contractual conditions message A code to identify the contractual conditions message.
<b>COACSU</b>	Commercial account summary message A code to identify the commercial account summary message.
<b>COMDIS</b>	Commercial dispute message A code to identify the commercial dispute message.
<b>CONDRA</b>	Drawing administration message A code to identify the drawing administration message.

## eSLOG 2.0 - Elektronska potrditev naročila

<b>CONTRL</b>	Syntax and service report message A code to identify the syntax and service report message.
<b>CREMUL</b>	Multiple credit advice message A code to identify the multiple credit advice message.
<b>DEBMUL</b>	Multiple debit advice message A code to identify the multiple debit advice message.
<b>DELFOR</b>	Delivery schedule message A code to identify the delivery schedule message.
<b>DESADV</b>	Despatch advice message A code to identify the despatch advice message.
<b>DIRDEB</b>	Direct debit message A code to identify the direct debit message.
<b>FINCAN</b>	Financial cancellation message A code to identify the financial cancellation message.
<b>FINSTA</b>	Financial statement of an account message A code to identify the financial statement of an account message.
<b>GENRAL</b>	General purpose message A code to identify the general purpose message.
<b>HANMOV</b>	Cargo/goods handling and movement message A code to identify the cargo/goods handling and movement message.
<b>IFCSUM</b>	Forwarding and consolidation summary message A code to identify the forwarding and consolidation summary message.
<b>IFTMAN</b>	Arrival notice message A code to identify the arrival notice message.
<b>IFTMBC</b>	Booking confirmation message A code to identify the booking confirmation message.
<b>IFTMBF</b>	Firm booking message A code to identify the firm booking message.
<b>IFTMIN</b>	Instruction message A code to identify the instruction message.
<b>IFTSTA</b>	International multimodal status report message A code to identify the international multimodal status report message.
<b>INSDDES</b>	Instruction to despatch message A code to identify the instruction to despatch message.
<b>INVOIC</b>	Invoice message A code to identify the invoice message.
<b>INVRPT</b>	Inventory report message A code to identify the inventory report message.
<b>KEYMAN</b>	Security key and certificate management message A code to identify the security key and certificate management message.
<b>MSCONS</b>	Metered services consumption report message A code to identify the metered services consumption report message.
<b>ORDCHG</b>	Purchase order change request message A code to identify the purchase order change request message.
<b>ORDERS</b>	Purchase order message A code to identify the purchase order message.
<b>ORDRSP</b>	Purchase order response message A code to identify the purchase order response message.
<b>OSTENQ</b>	Order status enquiry message A code to identify the order status enquiry message.

<b>OSTRPT</b>	Order status report message A code to identify the order status report message.
<b>PARTIN</b>	Party information message A code to identify the party information message.
<b>PAYDUC</b>	Payroll deductions advice message A code to identify the payroll deductions advice message.  Notes: 1. The versions of this message which appear in message directories up to and including the D.99B directory are for use with Version 3 or 4 of the ISO 9735 syntax. Versions of the message which appear in the D.00A and later directories shall be used only with Version 4 of the ISO 9735 syntax. 2. This code value is retained in the Version 3 service code list for information purposes only.
<b>PAYMUL</b>	Multiple payment order message A code to identify the multiple payment order message.
<b>PRICAT</b>	Price/sales catalogue message A code to identify the price/sales catalogue message.
<b>PRODAT</b>	Product data message A code to identify the product data message.
<b>PROINQ</b>	Product inquiry message A code to identify the product inquiry message.
<b>QUALITY</b>	Quality data message A code to identify the quality data message.
<b>QUOTES</b>	Quote message A code to identify the quote message.
<b>RECADV</b>	Receiving advice message A code to identify the receiving advice message.
<b>REMAADV</b>	Remittance advice message A code to identify the remittance advice message.
<b>REQOTE</b>	Request for quote message A code to identify the request for quote message.
<b>RETANN</b>	Announcement for returns message A code to identify the announcement for returns message.
<b>RETINS</b>	Instruction for returns message A code to identify the instruction for returns message.
<b>SLSFCT</b>	Sales forecast message A code to identify the sales forecast message.
<b>SLSRPT</b>	Sales data report message A code to identify the sales data report message.
<b>TAXCON</b>	Tax control message A code to identify the tax control message.

## 0081 Section identification

Code	Code name/description
<b>D</b>	Header/detail section separation To qualify the segment UNS, when separating the header from the detail section of a message.
<b>S</b>	Detail/summary section separation To qualify the segment UNS, when separating the detail from the summary section of a message.

## eSLOG 2.0 - Elektronska potrditev naročila

### 1001 Document name code

Code	Code name/description
231	Purchase order response Response to an purchase order already received.

### 1131 Code list identification code

Code	Code name/description
2E	Incoterms 2000 (GS1 Temporary Code) Incoterms 2000 as published by the International Chamber of Commerce (ICC).

### 1153 Reference code qualifier

Code	Code name/description
CT	Contract number Reference number of a contract concluded between parties.
IA	Internal vendor number Number identifying the company-internal vending department/unit.
IT	Internal customer number Number assigned by a seller, supplier etc. to identify a customer within his enterprise.
LI	Line item reference number (1156) Reference number identifying a particular line in a document.
ON	Order number (buyer) [1022] Reference number assigned by the buyer to an order.
PD	Promotion deal number Number assigned by a vendor to a special promotion activity.
VA	VAT registration number Unique number assigned by the relevant tax authority to identify a party for use in relation to Value Added Tax (VAT).
VN	Order number (supplier) Reference number assigned by supplier to a buyer's purchase order.
YC1	Additional party identification (GS1 Temporary Code) Reference number to an additional party identification. This number may be the internal trading partner identification number used by a party to identify its trading parties.

### 1225 Message function code

Code	Code name/description
4	Change Message containing items to be changed.
27	Not accepted Message to inform that the referenced message is not accepted by the recipient.
29	Accepted without amendment Referenced message is entirely accepted.

45	Accepted with reserves Message accepted with reserves.
----	---

**1229 Action request/notification description code**

Code	Code name/description
3	Changed The information is to be or has been changed.
5	Accepted without amendment This line item is entirely accepted by the seller.

**2005 Date or time or period function code qualifier**

Code	Code name/description
17	Delivery date/time, estimated Date and/or time when the shipper of the goods expects delivery will take place.
63	Delivery date/time, latest Date identifying a point of time after which goods shall not or will not be delivered.
64	Delivery date/time, earliest Date identifying a point in time before which the goods shall not be delivered.
69	Delivery date/time, promised for [2138] Date by which, or period within which, the merchandise should be delivered to the buyer, as agreed between the seller and the buyer (generic term).
76	Delivery date/time, scheduled for The date/time for which delivery is scheduled.
137	Document/message date/time (2006) Date/time when a document/message is issued. This may include authentication.
171	Reference date/time Date/time on which the reference was issued.

**2379 Date or time or period format code**

Code	Code name/description
102	CCYYMMDD Calendar date: C = Century ; Y = Year ; M = Month ; D = Day.
204	CCYYMMDDHHMMSS Calendar date including time with seconds: C=Century;Y=Year; M=Month;D=Day;H=Hour; M=Minute;S=Second.

**3035 Party function code qualifier**

Code	Code name/description
BY	Buyer Party to whom merchandise and/or service is sold.
DP	Delivery party (3144) Party to which goods should be delivered, if not identical with consignee.

## eSLOG 2.0 - Elektronska potrditev naročila

<b>IV</b>	Invoicee (3006) Party to whom an invoice is issued.
<b>SR</b>	Supplier's agent/representative (3254) Party representing the seller for the purpose of the trade transaction.
<b>SU</b>	Supplier Party who supplies goods and/or services.
<b>UC</b>	Ultimate consignee Party who has been designated on the invoice or packing list as the final recipient of the stated merchandise.
<b>UD</b>	Ultimate customer The final recipient of goods.

### 3055 Code list responsible agency code

Code	Code name/description
<b>9</b>	GS1 GS1 (formerly EAN International), an organisation of GS1 Member Organisations, which manages the GS1 System.
<b>91</b>	Assigned by supplier or supplier's agent Codes assigned by a seller or seller's agent.
<b>92</b>	Assigned by buyer or buyer's agent Codes assigned by a buyer or buyer's agent.

### 3139 Contact function code

Code	Code name/description
<b>CR</b>	Customer relations Individual responsible for customer relations.
<b>IC</b>	Information contact Department/person to contact for questions regarding transactions.
<b>OC</b>	Order contact An individual to contact for questions regarding this order.
<b>WH</b>	Warehouse The warehouse contact within an organization.

### 3155 Communication address code qualifier

Code	Code name/description
<b>EM</b>	Electronic mail Exchange of mail by electronic means.
<b>TE</b>	Telephone Voice/data transmission by telephone.

### 3207 Country name code

Code	Code name/description
------	-----------------------

<b>AD</b>	ANDORRA
<b>AE</b>	UNITED ARAB EMIRATES
<b>AF</b>	AFGHANISTAN
<b>AG</b>	ANTIGUA AND BARBUDA
<b>AI</b>	ANGUILLA
<b>AL</b>	ALBANIA
<b>AM</b>	ARMENIA
<b>AN</b>	NETHERLANDS ANTILLES
<b>AO</b>	ANGOLA
<b>AQ</b>	ANTARCTICA
<b>AR</b>	ARGENTINA
<b>AS</b>	AMERICAN SAMOA
<b>AT</b>	AUSTRIA
<b>AU</b>	AUSTRALIA
<b>AW</b>	ARUBA
<b>AZ</b>	AZERBAIJAN
<b>BA</b>	BOSNIA AND HERZEGOVINA
<b>BB</b>	BARBADOS
<b>BD</b>	BANGLADESH
<b>BE</b>	BELGIUM
<b>BF</b>	BURKINA FASO
<b>BG</b>	BULGARIA
<b>BH</b>	BAHRAIN
<b>BI</b>	BURUNDI
<b>BJ</b>	BENIN
<b>BM</b>	BERMUDA
<b>BN</b>	BRUNEI DARUSSALAM
<b>BO</b>	BOLIVIA
<b>BR</b>	BRAZIL
<b>BS</b>	BAHAMAS
<b>BT</b>	BHUTAN
<b>BV</b>	BOUVET ISLAND
<b>BW</b>	BOTSWANA
<b>BY</b>	BELARUS
<b>BZ</b>	BELIZE
<b>CA</b>	CANADA
<b>CC</b>	COCOS (KEELING) ISLANDS
<b>CD</b>	CONGO, THE DEMOCRATIC REPUBLIC OF THE

**eSLOG 2.0 - Elektronska potrditev naročila**

<b>CF</b>	CENTRAL AFRICAN REPUBLIC
<b>CG</b>	CONGO
<b>CH</b>	SWITZERLAND
<b>CI</b>	COTE D'IVOIRE
<b>CK</b>	COOK ISLANDS
<b>CL</b>	CHILE
<b>CM</b>	CAMEROON
<b>CN</b>	CHINA
<b>CO</b>	COLOMBIA
<b>CR</b>	COSTA RICA
<b>CU</b>	CUBA
<b>CV</b>	CAPE VERDE
<b>CX</b>	CHRISTMAS ISLAND
<b>CY</b>	CYPRUS
<b>CZ</b>	CZECH REPUBLIC
<b>DE</b>	GERMANY
<b>DJ</b>	DJIBOUTI
<b>DK</b>	DENMARK
<b>DM</b>	DOMINICA
<b>DO</b>	DOMINICAN REPUBLIC
<b>DZ</b>	ALGERIA
<b>EC</b>	ECUADOR
<b>EE</b>	ESTONIA
<b>EG</b>	EGYPT
<b>EH</b>	WESTERN SAHARA
<b>ER</b>	ERITREA
<b>ES</b>	SPAIN
<b>ET</b>	ETHIOPIA
<b>FI</b>	FINLAND
<b>FJ</b>	FIJI
<b>FK</b>	FALKLAND ISLANDS (MALVINAS)
<b>FM</b>	MICRONESIA, FEDERATED STATES OF
<b>FO</b>	FAROE ISLANDS
<b>FR</b>	FRANCE
<b>GA</b>	GABON
<b>GB</b>	UNITED KINGDOM
<b>GD</b>	GRENADA
<b>GE</b>	GEORGIA

<b>GF</b>	FRENCH GUIANA
<b>GH</b>	GHANA
<b>GI</b>	GIBRALTAR
<b>GL</b>	GREENLAND
<b>GM</b>	GAMBIA
<b>GN</b>	GUINEA
<b>GP</b>	GUADELOUPE
<b>GQ</b>	EQUATORIAL GUINEA
<b>GR</b>	GREECE
<b>GS</b>	SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS
<b>GT</b>	GUATEMALA
<b>GU</b>	GUAM
<b>GW</b>	GUINEA-BISSAU
<b>GY</b>	GUYANA
<b>HK</b>	HONG KONG
<b>HM</b>	HEARD ISLAND AND MCDONALD ISLANDS
<b>HN</b>	HONDURAS
<b>HR</b>	CROATIA
<b>HT</b>	HAITI
<b>HU</b>	HUNGARY
<b>ID</b>	INDONESIA
<b>IE</b>	IRELAND
<b>IL</b>	ISRAEL
<b>IN</b>	INDIA
<b>IO</b>	BRITISH INDIAN OCEAN TERRITORY
<b>IQ</b>	IRAQ
<b>IR</b>	IRAN, ISLAMIC REPUBLIC OF
<b>IS</b>	ICELAND
<b>IT</b>	ITALY
<b>JM</b>	JAMAICA
<b>JO</b>	JORDAN
<b>JP</b>	JAPAN
<b>KE</b>	KENYA
<b>KG</b>	KYRGYZSTAN
<b>KH</b>	CAMBODIA
<b>KI</b>	KIRIBATI
<b>KM</b>	COMOROS
<b>KN</b>	SAINT KITTS AND NEVIS

**eSLOG 2.0 - Elektronska potrditev naročila**

<b>KP</b>	KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF
<b>KR</b>	KOREA, REPUBLIC OF
<b>KW</b>	KUWAIT
<b>KY</b>	CAYMAN ISLANDS
<b>KZ</b>	KAZAKSTAN
<b>LA</b>	LAO PEOPLE'S DEMOCRATIC REPUBLIC
<b>LB</b>	LEBANON
<b>LC</b>	SAINT LUCIA
<b>LI</b>	LIECHTENSTEIN
<b>LK</b>	SRI LANKA
<b>LR</b>	LIBERIA
<b>LS</b>	LESOTHO
<b>LT</b>	LITHUANIA
<b>LU</b>	LUXEMBOURG
<b>LV</b>	LATVIA
<b>LY</b>	LIBYAN ARAB JAMAHIRIYA
<b>MA</b>	MOROCCO
<b>MC</b>	MONACO
<b>MD</b>	MOLDOVA, REPUBLIC OF
<b>MG</b>	MADAGASCAR
<b>MH</b>	MARSHALL ISLANDS
<b>MK</b>	MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF
<b>ML</b>	MALI
<b>MM</b>	MYANMAR
<b>MN</b>	MONGOLIA
<b>MO</b>	MACAU
<b>MP</b>	NORTHERN MARIANA ISLANDS
<b>MQ</b>	MARTINIQUE
<b>MR</b>	MAURITANIA
<b>MS</b>	MONTSERRAT
<b>MT</b>	MALTA
<b>MU</b>	MAURITIUS
<b>MV</b>	MALDIVES
<b>MW</b>	MALAWI
<b>MX</b>	MEXICO
<b>MY</b>	MALAYSIA
<b>MZ</b>	MOZAMBIQUE
<b>NA</b>	NAMIBIA

<b>NC</b>	NEW CALEDONIA
<b>NE</b>	NIGER
<b>NF</b>	NORFOLK ISLAND
<b>NG</b>	NIGERIA
<b>NI</b>	NICARAGUA
<b>NL</b>	NETHERLANDS
<b>NO</b>	NORWAY
<b>NP</b>	NEPAL
<b>NR</b>	NAURU
<b>NU</b>	NIUE
<b>NZ</b>	NEW ZEALAND
<b>OM</b>	OMAN
<b>PA</b>	PANAMA
<b>PE</b>	PERU
<b>PF</b>	FRENCH POLYNESIA
<b>PG</b>	PAPUA NEW GUINEA
<b>PH</b>	PHILIPPINES
<b>PK</b>	PAKISTAN
<b>PL</b>	POLAND
<b>PM</b>	SAINT PIERRE AND MIQUELON
<b>PN</b>	PITCAIRN
<b>PR</b>	PUERTO RICO
<b>PS</b>	PALESTINIAN TERRITORY, OCCUPIED
<b>PT</b>	PORTUGAL
<b>PW</b>	PALAU
<b>PY</b>	PARAGUAY
<b>QA</b>	QATAR
<b>RE</b>	REUNION
<b>RO</b>	ROMANIA
<b>RS</b>	SERBIA
<b>RU</b>	RUSSIAN FEDERATION
<b>RW</b>	RWANDA
<b>SA</b>	SAUDI ARABIA
<b>SB</b>	SOLOMON ISLANDS
<b>SC</b>	SEYCHELLES
<b>SD</b>	SUDAN
<b>SE</b>	SWEDEN
<b>SG</b>	SINGAPORE

**eSLOG 2.0 - Elektronska potrditev naročila**

<b>SH</b>	SAINT HELENA
<b>SI</b>	SLOVENIA
<b>SJ</b>	SVALBARD AND JAN MAYEN
<b>SK</b>	SLOVAKIA
<b>SL</b>	SIERRA LEONE
<b>SM</b>	SAN MARINO
<b>SN</b>	SENEGAL
<b>SO</b>	SOMALIA
<b>SR</b>	SURINAME
<b>ST</b>	SAO TOME AND PRINCIPE
<b>SV</b>	EL SALVADOR
<b>SY</b>	SYRIAN ARAB REPUBLIC
<b>SZ</b>	SWAZILAND
<b>TC</b>	TURKS AND CAICOS ISLANDS
<b>TD</b>	CHAD
<b>TF</b>	FRENCH SOUTHERN TERRITORIES
<b>TG</b>	TOGO
<b>TH</b>	THAILAND
<b>TJ</b>	TAJKISTAN
<b>TK</b>	TOKELAU
<b>TM</b>	TURKMENISTAN
<b>TN</b>	TUNISIA
<b>TO</b>	TONGA
<b>TP</b>	EAST TIMOR
<b>TR</b>	TURKEY
<b>TT</b>	TRINIDAD AND TOBAGO
<b>TV</b>	TUVALU
<b>TW</b>	TAIWAN, PROVINCE OF CHINA
<b>TZ</b>	TANZANIA, UNITED REPUBLIC OF
<b>UA</b>	UKRAINE
<b>UG</b>	UGANDA
<b>UM</b>	UNITED STATES MINOR OUTLYING ISLANDS
<b>US</b>	UNITED STATES
<b>UY</b>	URUGUAY
<b>UZ</b>	UZBEKISTAN
<b>VA</b>	HOLY SEE (VATICAN CITY STATE)
<b>VC</b>	SAINT VINCENT AND THE GRENADINES
<b>VE</b>	VENEZUELA

<b>VG</b>	VIRGIN ISLANDS, BRITISH
<b>VI</b>	VIRGIN ISLANDS, U.S.
<b>VN</b>	VIET NAM
<b>VU</b>	VANUATU
<b>WF</b>	WALLIS AND FUTUNA
<b>WS</b>	SAMOA
<b>YE</b>	YEMEN
<b>YT</b>	MAYOTTE
<b>YU</b>	YUGOSLAVIA
<b>ZA</b>	SOUTH AFRICA
<b>ZM</b>	ZAMBIA
<b>ZW</b>	ZIMBABWE

#### 4053 Delivery or transport terms description code

Code	Code name/description
<b>01E</b>	Contact delivery party before delivery (GS1 Temporary Code) Indication that the delivery party should be contacted before delivery.
<b>02E</b>	Despatch goods urgent delivery (GS1 Temporary Code) Requests that the goods be despatched urgently.
<b>03E</b>	Special delivery conditions (GS1 Temporary Code) Indication that the delivery is subject to special conditions agreed between the trading partners.
<b>04E</b>	Cash on delivery (GS1 Temporary Code) Indication that the delivery is subject to cash on delivery conditions.
<b>CFR</b>	Cost & Freight
<b>CIF</b>	Cost, Insurance, Freight to named destination
<b>CIP</b>	Freight, Carriage, Insurance to destination
<b>CPT</b>	Freight, Carriage paid to destination
<b>DAF</b>	Delivery at frontier - Named place
<b>DDP</b>	Delivered duty paid to destination
<b>DDU</b>	Delivered duty unpaid
<b>DEQ</b>	Delivered Ex Quay - Duty paid, Named port
<b>DES</b>	Delivered Ex ship - Named port of destination
<b>EXW</b>	Ex works
<b>FAS</b>	Free alongside ship
<b>FCA</b>	Free carrier - Named point
<b>FOA</b>	FOB Airport - Named airport of departure
<b>FOB</b>	Free on Board - Named port of shipment
<b>FOR</b>	Free on Rail - Named departure point
<b>RDN</b>	Return the delivery note signed by the goods recipient (GS1 Temporary Code) Indication that the delivery note has to be returned signed by the goods recipient.

## eSLOG 2.0 - Elektronska potrditev naročila

<b>RPD</b>	Return the number of the "proof of delivery" generated by the goods recipient has to be returned (GS1 Temporary Code) Indication that the number of the "proof of delivery" generated by the goods recipient has to be returned.
<b>SD</b>	Shipment of order split over more than one means of transport (GS1 Temporary Code) Shipment of an order has been split over more than one means of transport.

### 4055 Delivery or transport terms function code

Code	Code name/description
<b>6</b>	Delivery condition Specifies the conditions under which the goods must be delivered to the consignee.

### 4347 Product identifier code qualifier

Code	Code name/description
<b>1</b>	Additional identification Information which specifies and qualifies product identifications.
<b>4</b>	Substituted for The given item number is the number of the original product substituted by another.
<b>5</b>	Product identification The item number is for product identification.

### 5025 Monetary amount type code qualifier

Code	Code name/description
<b>203</b>	Line item amount Goods item total minus allowances plus charges for line item. See also Code 66.

### 5125 Price code qualifier

Code	Code name/description
<b>AAA</b>	Calculation net The price stated is the net price including allowances/ charges. Allowances/charges may be stated for information only.
<b>AAB</b>	Calculation gross The price stated is the gross price to which allowances/charges, if valid, must be applied.
<b>AAE</b>	Information price, excluding allowances or charges, including taxes The price stated is for information purposes only and excludes all allowances and charges. Taxes however are included in the price.
<b>AAF</b>	Information price, excluding allowances or charges and taxes The price stated is for information purposes only and excludes all allowances, charges and taxes.
<b>INF</b>	Information The price is provided for information.

**5387 Price specification code**

Code	Code name/description
<b>DPR</b>	Discount price A reduction from the usual list value.
<b>DR</b>	Dealer price Code specifying a dealer price.
<b>INV</b>	Invoice price Price per unit of quantity of a product as specified on an invoice.
<b>LBL</b>	Labelling price Retail price of the buyer that should be printed by the producer on the article's label. The labelling price is not necessary the effective retail price.
<b>PRP</b>	Promotional price The value that is placed on an item that is being developed. The idea is to sell this product for less than one normally would, and make up for it by selling a larger quantity.
<b>RTP</b>	Retail price Price per unit of quantity of a product to be used for retail.

**6063 Quantity type code qualifier**

Code	Code name/description
<b>21</b>	Ordered quantity The quantity which has been ordered.
<b>59</b>	Number of consumer units in the traded unit Number of units for consumer sales in a unit for trading.
<b>113</b>	Quantity to be delivered The quantity to be delivered.

**6343 Currency type code qualifier**

Code	Code name/description
<b>4</b>	Invoicing currency The name or symbol of the monetary unit used for calculation in an invoice.
<b>9</b>	Order currency The name or symbol of the monetary unit used in an order.

**6345 Currency identification code**

Code	Code name/description
<b>EUR</b>	Euro

**6347 Currency usage code qualifier**

Code	Code name/description
------	-----------------------

## eSLOG 2.0 - Elektronska potrditev naročila

1	Charge payment currency The currency in which charges are to be paid.
2	Reference currency The currency applicable to amounts stated. It may have to be converted.
3	Target currency The currency which should be used to the target destination of the transaction.

### 6411 Measurement unit code

Code	Code name/description
<b>KGM</b>	kilogram
<b>LTR</b>	litre
<b>MTR</b>	metre
<b>PCE</b>	Piece (GS1 Temporary Code)

### 7009 Item description code

Code	Code name/description
<b>CU</b>	Consumer unit (GS1 Permanent Code) The package size of a product or products agreed by trading partners as the size sold at the retail point of sale.
<b>TU</b>	Traded unit (GS1 Permanent Code) The package size of a product or products which has been agreed by trading partners as the size which may be ordered, delivered and invoiced.

### 7077 Description format code

Code	Code name/description
<b>C</b>	Code (from industry code list) Description of an item in coded format.
<b>F</b>	Free-form Description of an item in free form text.

### 7143 Item type identification code

Code	Code name/description
<b>GB</b>	Buyer's internal product group code Product group code used within a buyer's internal systems.
<b>IN</b>	Buyer's item number The item number has been allocated by the buyer.
<b>SA</b>	Supplier's article number Number assigned to an article by the supplier of that article.
<b>SRV</b>	GS1 Global Trade Item Number A unique number, up to 14-digits, assigned according to the numbering structure of the GS1 system. 'GS1' stands for the 'Global Standards One'.

<b>SUE</b>	GS1 Global Returnable Asset Identifier, non-serialised A unique, 13-digit number assigned according to the numbering structure of the GS1 system and used to identify a type of Reusable Transport Item (RTI).
------------	---

## Dodatek A (informativni)

### Poslovni termini (BT)

#### A.1 Seznam in opis poslovnih terminov (BT) in skupin poslovnih terminov (BG)

Preglednica vsebuje seznam in opis poslovnih terminov ter izraze XPath eSLOG 2.0 ePotrditev naročila.

Oznaka	Poslovni termin	eSLOG 2.0 ePotrditev naročila XPath
BT-1	Unikatna številka sporočila, ki jo določi pošiljatelj	/PurchaseOrderResponse/M_ORDRSP/S_UNH/D_0062
BT-2	Oznaka vrste potrditve naročila	/PurchaseOrderResponse/M_ORDRSP/S_BGM/C_C002/D_1001
BT-3	Številka potrditve naročila, ki jo določi pošiljatelj	/PurchaseOrderResponse/M_ORDRSP/S_BGM/C_C106/D_1004
BT-4	Vloga dokumenta potrditve naročila	/PurchaseOrderResponse/M_ORDRSP/S_BGM/D_1225
BT-5	Datum in čas izdelave sporočila (137)	/PurchaseOrderResponse/M_ORDRSP/S_DTM[C_C507/D_2005='137']/C_C507/D_2380
BT-6	Predviden datum dobave (17)	/PurchaseOrderResponse/M_ORDRSP/S_DTM[C_C507/D_2005='17']/C_C507/D_2380
BT-7	Preostali datumi, vezani na potrditev naročila	/PurchaseOrderResponse/M_ORDRSP/S_DTM/C_C507/D_2380 (za D_2005='137' oz. D_2005='17' se uporabi BT-5 oz. BT-6)
BT-8	Valuta zneskov na potrditvi naročila	/PurchaseOrderResponse/M_ORDRSP/G_SG8[S_CUX/C_C504/D_6347='2']/S_CUX/C_C504/D_6345
BT-9	Referenca na naročilo, na katero se potrditev naročila navezuje (ON)	/PurchaseOrderResponse/M_ORDRSP/G_SG1/S_RFF[C_C506/D_1153='ON']/C_C506/D_1154
BT-10	Datum naročila, na katero se potrditev naročila navezuje (ON)	/PurchaseOrderResponse/M_ORDRSP/G_SG1[S_RFF/C_C506/D_1153='ON' and S_DTM/C_C507/D_2005='171']/S_DTM/C_C507/D_2380
BG-1	Referenčni dokumenti	
BT-11	Tip referenčnega dokumenta, na katerega se potrditev naročila navezuje	/PurchaseOrderResponse/M_ORDRSP/G_SG1/S_RFF/C_C506/D_1153
BT-12	Številka referenčnega dokumenta, na katerega se potrditev naročila navezuje	/PurchaseOrderResponse/M_ORDRSP/G_SG1/S_RFF/C_C506/D_1154
BT-13	Datum referenčnega dokumenta, na katerega se potrditev naročila navezuje	/PurchaseOrderResponse/M_ORDRSP/G_SG1/S_DTM/C_C507/D_2380
BG-2	Podatki o kupcu	
BT-14	GLN kupca (BY)	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='BY']/S_NAD/C_C082/D_3039

## eSLOG 2.0 - Elektronska potrditev naročila

Oznaka	Poslovni termin	eSLOG 2.0 ePotrditev naročila XPath
BT-15	Davčna številka kupca (VA)	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='BY']/G_SG4[S_RFF/C_C506/D_1153='VA']/S_RFF/C_C506/D_1154
BT-16	Preostali referenčni podatki kupca	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='BY']/G_SG4/S_RFF/C_C506/D_1154 (za D_1153='VA' se uporabi BT-15)
BG-3	Naziv in naslov kupca	
BT-17	Naziv kupca	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='BY']/S_NAD/C_C080/D_3036
BT-18	Ulica in hišna številka kupca	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='BY']/S_NAD/C_C059/D_3042
BT-19	Mesto kupca	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='BY']/S_NAD/D_3164
BT-20	Poštna številka kupca	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='BY']/S_NAD/D_3251
BT-21	Država kupca	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='BY']/S_NAD/D_3207
BG-4	Kontaktne podatki kupca	
BT-22	Kontaktne osebe kupca	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='BY']/G_SG6/S_CTA/C_C056/D_3412
BT-23	Naslovi za kontakt kupca	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='BY']/G_SG6/S_COM/C_C076/D_3148
BG-5	Podatki o dobavitelju	
BT-24	GLN dobavitelja (SU)	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='SU']/S_NAD/C_C082/D_3039
BT-25	Davčna številka dobavitelja (VA)	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='SU']/G_SG4[S_RFF/C_C506/D_1153='VA']/S_RFF/C_C506/D_1154
BT-26	Referenčni podatki dobavitelja	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='SU']/G_SG4/S_RFF/C_C506/D_1154 (za D_1153='VA' se uporabi BT-25)
BG-6	Naziv in naslov dobavitelja	
BT-27	Naziv dobavitelja	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='SU']/S_NAD/C_C080/D_3036
BT-28	Ulica in hišna številka dobavitelja	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='SU']/S_NAD/C_C059/D_3042
BT-29	Mesto dobavitelja	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='SU']/S_NAD/D_3164
BT-30	Poštna številka dobavitelja	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='SU']/S_NAD/D_3251
BT-31	Država dobavitelja	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='SU']/S_NAD/D_3207
BG-7	Kontaktne podatki dobavitelja	
BT-32	Kontaktne osebe dobavitelja	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='SU']/G_SG6/S_CTA/C_C056/D_3412
BT-33	Naslovi za kontakt dobavitelja	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='SU']/G_SG6/S_COM/C_C076/D_3148
BG-8	Podatki o dostavnem mestu	

## eSLOG 2.0 - Elektronska potrditev naročila

Oznaka	Poslovni termin	eSLOG 2.0 ePotrditev naročila XPath
BT-34	GLN dostavnega mesta (DP)	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='DP']/S_NAD/C_C082/D_3039
BT-35	Referenčni podatki dostavnega mesta	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='DP']/G_SG4/S_RFF/C_C506/D_1154
BG-9	Naziv in naslov dostavnega mesta	
BT-36	Naziv dostavnega mesta	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='DP']/S_NAD/C_C080/D_3036
BT-37	Ulica in hišna številka dostavnega mesta	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='DP']/S_NAD/C_C059/D_3042
BT-38	Mesto dostavnega mesta	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='DP']/S_NAD/D_3164
BT-39	Poštna številka dostavnega mesta	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='DP']/S_NAD/D_3251
BT-40	Država dostavnega mesta	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='DP']/S_NAD/D_3207
BG-10	Kontaktne podatke dostavnega mesta	
BT-41	Kontaktne osebe dostavnega mesta	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='DP']/G_SG6/S_CTA/C_C056/D_3412
BT-42	Naslovi za kontakt dostavnega mesta	/PurchaseOrderResponse/M_ORDRSP/G_SG3[S_NAD/D_3035='DP']/G_SG6/S_COM/C_C076/D_3148
BG-11	Podatki o postavkah	
BT-43	Številka postavke	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_LIN/D_1082
BT-44	Oznaka stanja postavke glede na podatke naročila	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_LIN/D_1229
BT-45	GTIN-številka artikla	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_LIN/C_C212[D_7143='SRV']/D_7140
BT-46	Količina naročenega artikla (21)	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_QTY[C_C186/D_6063='21']/C_C186/D_6060
BT-47	Enota mere naročenega artikla (21)	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_QTY[C_C186/D_6063='21']/C_C186/D_6411
BT-48	Potrjena količina artikla (113)	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_QTY[C_C186/D_6063='113']/C_C186/D_6060
BT-49	Enota mere potrjene količine artikla (113)	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_QTY[C_C186/D_6063='113']/C_C186/D_6411
BT-50	Število enot za končnega potrošnika v naročenem artiklu (59)	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_QTY[C_C186/D_6063='59']/C_C186/D_6060
BT-51	Enota mere za število enot za končnega potrošnika v naročenem artiklu (59)	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_QTY[C_C186/D_6063='59']/C_C186/D_6411
BT-52	Predviden datum dobave artikla (17)	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_DTM[C_C507/D_2005='17']/C_C507/D_2380
BT-53	Vrednost postavke (203)	/PurchaseOrderResponse/M_ORDRSP/G_SG26[S_MOA/C_C516/D_5025='203']/S_MOA/C_C516/D_5004
BT-54	Številka postavke originalnega naročila, na	/PurchaseOrderResponse/M_ORDRSP/G_SG26/G_SG31[S_RFF/C_C506/D_1153='ON']/S_RFF/C_C506/D_1156

## eSLOG 2.0 - Elektronska potrditev naročila

Oznaka	Poslovni termin	eSLOG 2.0 ePotrditev naročila XPath
	katerega se postavka iz potrditve naročila nanaša (ON)	
BG-12	Identifikacija naročenega artikla	
BT-55	Tip identifikacije artikla	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_PIA/D_4347
BT-56	Številka identifikacije artikla	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_PIA/C_C212/D_7140
BT-57	Vrsta identifikacije artikla	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_PIA/C_C212/D_7143
BT-58	Opis artikla	/PurchaseOrderResponse/M_ORDRSP/G_SG26/S_IMD/C_C273/D_7008
BG-13	Podatki o ceni artikla	
BT-59	Vrsta cene artikla	/PurchaseOrderResponse/M_ORDRSP/G_SG26/G_SG30/S_PRI/C_C509/D_5125
BT-60	Cena artikla	/PurchaseOrderResponse/M_ORDRSP/G_SG26/G_SG30/S_PRI/C_C509/D_5118
BT-61	Specifikacija cene artikla	/PurchaseOrderResponse/M_ORDRSP/G_SG26/G_SG30/S_PRI/C_C509/D_5387
BT-62	Količina na enoto cene	/PurchaseOrderResponse/M_ORDRSP/G_SG26/G_SG30/S_PRI/C_C509/D_5284
BT-63	Merska enota cene	/PurchaseOrderResponse/M_ORDRSP/G_SG26/G_SG30/S_PRI/C_C509/D_6411

**Dodatek B**  
(informativni)

**Shema eSLOG 2.0 elektronsko potrditev naročila**

**B.1 Shema .XML**

Aktualna shema .XML dokumenta eSLOG 2.0 elektronska potrditev naročila je dostopna na povezavi:

[https://epos.si/assets/docs/eSLOG20\\_ORDRSP\\_v200.xsd](https://epos.si/assets/docs/eSLOG20_ORDRSP_v200.xsd).

## **Dodatek C** (informativni)

### **Demonstracijski primer uporabe**

#### **C.1 Primer uporabe elementov segmenta**

V poglavju 9 je pri posameznih elementih segmenta naveden primer uporabe. Demonstracijski primer dokumenta eSLOG 2.0 ePotrditev naročila, ki vsebuje vse navedene primere za elemente, je dostopen na povezavi:

[https://epos.si/assets/docs/sample\\_eSLOG20\\_ORDRSP\\_v200.xml](https://epos.si/assets/docs/sample_eSLOG20_ORDRSP_v200.xml).

## Literatura

- [1] Direktiva 2014/55/EU Evropskega parlamenta in sveta z dne 16. aprila 2014 o izdajanju elektronskih računov pri javnem naročanju. Razpoložljivo na <http://eurlex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32014L0055>.
- [2] EANCOM 2002 S4 Edition 2012
- [3] ISO/TS 20625:2002, *Electronic data interchange for administration, commerce and transport (EDIFACT) – Rules for generation of XML scheme files (XSD) on the basis of EDI(FACT) implementation guidelines*.
- [4] SIST EN 16931-1:2017, *Elektronsko izdajanje računov – 1. del: Semantični podatkovni model ključnih elementov za elektronski račun*.
- [5] Uredba (EU), št. 910/2014, Evropskega parlamenta in sveta z dne 23. julija 2014 o elektronski identifikaciji in storitvah zaupanja za elektronske transakcije na notranjem trgu in o razveljavitvi Direktive 1999/93/ES. Razpoložljivo na <http://eurlex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32014R0910>.
- [6] W3C XML shema. Razpoložljivo na <https://www.w3.org/TR/xmlsig-core/xmlsig-core-schema.xsd>.
- [7] W3C-priporočilo za validacijo elementov. Razpoložljivo na <https://www.w3.org/TR/xmlsig-core2/>.
- [8] Zakon o davku na dodano vrednost (ZDDV-1), neuradno prečiščeno besedilo št. 12